







THREE WAYS OF PARTICIPATION FOR CONTENT PROVIDER





PAGE JOIN THE PORTAL

http://www.culturaitalia.it/pico/Aderisci/en/index.html





PAGE JOIN THE PORTAL

http://www.culturaitalia.it/pico/Aderisci/en/index.html

Participation in Culturaltalia in nine steps

- 1. Presentation of the database
- 2. Formalisation of the participation agreement
- 3. Agreement upon and publishing of the official mapping document
- 4. Installation and configuration of the Repository OAI-PMH
- 5. Extraction of the data and filling of the repository
- 6. Verification of the quality of the metadata
- 7. Harvesting of the metadata
- 8. Verification of the quality of the metadata uploaded onto CulturaItalia

9. Setting the timeframe for any necessary data updates







CulturaItalia

6


Organizational and Technical support for content providers

DEFINITION OF WORK STRUCTURE

http://www.culturaitalia.it/pico/Aderisci/en/index.html

1. PRESENTATION OF THE DATABASE








DEFINITION OF WORK STRUCTURE


http://www.culturaitalia.it/pico/Aderisci/en/index.html

2. FORMALISATION OF THE PARTICIPATION AGREEMENT




Culturaltalia Organizational and Technical support for content providers

HAVE WE ALL THE INFORMATION THAT WE NEED?





3. OFFICIAL MAPPING DOCUMENT






3. OFFICIAL MAPPING DOCUMENT

ICCD-A Campi	PICO AP ELEMENTS/ REFINEMENTS	PICO AP Encoding schemes	ESEMPI E NOTE	
(OG) OGTD	<dc:title></dc:title>	a:OGTD	Es. <dc:title xsi:type="a:OGTD"> Villa Ancarani</dc:title>	
(OG) OGAD	<dc:title></dc:title>	ł	Mappare come dottitle solo in assenza di OGTD Es. i <dottitle>@@@@@</dottitle>	
(OG) OGTT	<dc:title></dc:title>		Mappare come dottitle solo in assenza di OGTD e OGAD Es. <dottitle>villino monofamiliare</dottitle>	
(OG) OGAD	<dcterms:alternative></dcterms:alternative>	a:0 GAD	Es. <dcterms:alternative xsi:type="a:OGAD">@@@@@</dcterms:alternative>	
(AU) AUT Autore (AU) AUTN (AU) AUTR (AU) AUTS (AU) AUTM	<pico:author></pico:author>	a:AUT	Es. <pico:author xsitype="a:AUT">AUTR=@@@; AUTS=@@@; AUTN=@@@; AUTM=@@@@</pico:author>	
(AU) ATB Ambito culturale	<dc:creator></dc:creator>	a:ATB	Es. <dc:creator xml:lang="it" xsi:type="a:ATB">ATBR=costruzione; ATBD=novecento locale; ATBM= analisi dei caratteri stilistici (n.d.c.)</dc:creator>	




4. INSTALLATION AND CONFIGURATION OF THE OAI-PMH REPOSITORY





5. EXTRACTION OF THE DATA AND FILLING OF THE REPOSITORY



13



Organizational and Technical support for content providers

5. EXTRACTION OF THE DATA AND FILLING OF THE REPOSITORY

Il file XML specificato apparentemente non ha un foglio di stile associato. L'albero del documento è mostrato di seguito.

```
- <!--
    $Workfile: global.asa $ $Revision: 34 $ $Date: 2/23/04 5:24p $
 -->
- <!--
    $Workfile: oai.asp $ $Revision: 25 $ $Date: 2/23/04 5:24p $
 -->
- <!--
    $Workfile: functions.inc $ $Revision: 28 $ $Date: 2/23/04 5:24p $
 -->
- <OAI-PMH xsi:schemaLocation="http://www.openarchives.org/OAI/2.0/ http://www.openarchives.org/OAI/2.0/OAI-PMH.xsd">
   <responseDate>2011-02-18T09:52:42Z</responseDate>
 - <!--
      $Workfile: ListSets.asp $ $Revision: 19 $ $Date: 2/23/04 5:24p $
   -->
   <request verb="ListSets">http://pico.cultura.marche.it/oai.asp</request>
 - <ListSets>
   - < set >
       <setSpec>SchedeA</setSpec>
       <setName>SchedeA</setName>
     </set>
   - < set >
       <setSpec>SchedeA:AN</setSpec>
       <setName>SchedeA:AN</setName>
     </set>
```

Organi


Organizational and Technical support for content providers

6. VERIFICATION OF QUALITY OF THE METADATA

- <pico:record xsi:schemalocation="http://purl.org/pico/1.0/ http://purl.org/pico/1.0/pico.xsd http://purl.org/pico/iccd/2.00/ http://www.culturaitalia.it
/pico/schemas/iccd/2.00/iccd.xsd http://purl.org/pico/iccd/2.00/aut/ http://www.culturaitalia.it/pico/schemas/iccd/2.00/aut.xsd http://purl.org/pico/iccd</th><th></th></tr><tr><td>/2.00/bib/ http://www.culturaitalia.it/pico/schemas/iccd/2.00/bib.xsd http://purl.org/pico/iccd/2.00/bdm/ http://www.culturaitalia.it/pico/schemas/iccd/2.00</td><td></td></tr><tr><td>/bdm.xsd http://purl.org/pico/iccd/2.00/f/ http://www.culturaitalia.it/pico/schemas/iccd/2.00/f.xsd http://purl.org/pico/iccd/2.00/oa-d-n/</td><td></td></tr><tr><td>http://www.culturaitalia.it/pico/schemas/iccd/2.00/oa-d-n.xsd http://purl.org/pico/iccd/2.00/ra/ http://www.culturaitalia.it/pico/schemas/iccd/2.00/ra.xsd</td><td></td></tr><tr><td>http://purl.org/pico/iccd/2.00/s-mi/ http://www.culturaitalia.it/pico/schemas/iccd/2.00/s-mi.xsd"><td></td></pico:record>	
<dc:title>patera baccellata</dc:title>	
- <dc:subject xsi:type="pico:Thesaurus"></dc:subject>	
http://culturaitalia.it/pico/thesaurus/4.1#reperti_archeologici	
<pre><dc:description xml:lang="it" xsi:type="ra:STC">STCC=lacunosa</dc:description></pre>	
<pre><dc:type xsi:type="dcterms:DCMIType">PhysicalObject</dc:type></pre>	
<dc:type xsi:type="iccd:CD">TSK=RA</dc:type>	
< <u>dc:type_xsi:type="ra:OGTD"_xml:lang="it">patera baccellata</u>	14
<pre><dc:identifier xsi:type="iccd:NCT">NCTR=11; NCTN=00072413</dc:identifier></pre>	
<dc:identifier xsi:type="iccd:UID">1100072413</dc:identifier>	
Museo Archeologico Nazionale delle Marche">dcterms:isPartOf>	
- <dcterms:isreferencedby xml:lang="it" xsi:type="pico:Anchor"></dcterms:isreferencedby>	
title=consulta la scheda esterna; URL=http://sirpac.cultura.marche.it/web/Home.aspx?ids=60045	
<pre><dcterms:spatial xsi:type="ra:PVC">PVCP=AN; PVCC=Ancona</dcterms:spatial></pre>	
- <dcterms: spatial="" xsi:type="ra:LDC"></dcterms:>	
LDCN=Palazzo Ferretti; LDCM=Museo Archeologico Nazionale delle Marche	
<dc:rights>proprietà Stato</dc:rights>	
<dc:subject xsi:type="ra:SGTT">patera baccellata</dc:subject>	
- <dcterms: created="" xsi:type="ra:DT"></dcterms:>	




6. VERIFICATION OF QUALITY OF THE METADATA





LAST THREE POINTS



CulturaItalia

17

Organizational and Technical support for content providers

THANKS FOR YOUR ATTENTION

A. Davide Madonna antoniodavide.madonna@beniculturali.it